

## DIVISION 11 – EQUIPMENT

### SECTION 11160 – LOADING DOCK EQUIPMENT

#### PART 1 – GENERAL

##### 1.01 SCOPE OF WORK

- A. Work required under this Section includes the furnishing and installation of dock leveler, dock bumpers, light communication package, dock lights, seals around dock levelers, and dock door shelters as shown on the drawings and described in the specification.
- B. Deviations, exclusions, electrical or hydraulic alterations and any equipment substitutions must be clearly identified in bidders' proposal and supported with product collateral and layout drawings. Failure to do so will result in disqualification of bidder's proposal.

##### 1.02 SUBMITTALS

- A. Shop Drawings
  - 1. This Contractor shall prepare and submit complete shop drawing for approval prior to fabrication.
  - 2. The drawings shall show all items as required or specified in order that a proper evaluation can be made of the materials and construction to be provided.
- B. Brochures
  - 1. Complete manufacturers brochures shall be submitted. Brochures shall be marked up to indicate all products to be employed in the work in order that a proper evaluation can be made of the materials, methods, assemblies and construction to be provided.

##### 1.03 DELIVERY, STORAGE AND HANDLING

- A. All materials for the work of this Section shall be delivered, stored and handled so as to preclude damage of any nature. Manufactured materials shall be delivered and noted in their original containers, plainly marked with the product's and manufacturer's name. Materials in broken containers or in packages showing watermarks or other evidence of damage shall not be used and shall be removed from the site.

##### 1.04 RELATED WORK

Division 3 – Cast-In-Place Concrete  
Division 5 – Miscellaneous Metal  
Division 8 – Overhead Doors  
Division 16 – Electrical primary and control wiring

##### 1.05 SUBMITTALS

In compliance with requirements established within Section 01300, submit detailed shop drawings for specified equipment.

##### 1.06 WARRANTY

- A. Warranty shall be in accordance with provisions of the General Conditions except where additional requirements are specified here. All warranty periods commence with the date of substantial completion.

## PART 2 – PRODUCTS

Specified herein is Poweramp Loading Dock Equipment. Other acceptable manufacturer (s) as approved by the owner provided all specified features are included. Bidders should clearly indicate variations to specification on proposal.

1. Mechanical dock levelers shall be series HM manufactured by Poweramp. Leveler shall be \_\_\_\_\_ feet wide by \_\_\_\_\_ feet long with minimum of \_\_\_\_\_ lb. live load capacity. Leveler shall be capable of supporting 3 wheel and 4 wheel lift trucks with a gross load of \_\_\_\_\_ lbs. and support 10 trucks per day. Expected life of leveler shall exceed 10 years.
2. Lip shall be \_\_\_\_\_ “long tapered to 6’6”. (note only applies to 7’ wide unit)
3. Operating range shall be 12” above and 12” below dock to accommodate client’s variation of trucks. Leveler will freely float in the working range.
4. Ramp Shall have 4” of flex to accommodate uneven trucks
5. Lip shall extend beyond standard bumpers by a minimum of 12”.
6. Lip assist system will extend lip and be yieldable
7. Hold-down and float mechanism will hold down ramp in place and will float with trailer movement.
8. Include full perimeter weatherseal.
9. Working range toe guards shall be painted and welded on each side of the leveler.
10. Leveler to be equipped with “lockout tagout” maintenance prop.
11. Finish – Paint entire unit with rust inhibitor and enamel top coat. Leveler shall be machinery gray.

### B. Dock Bumpers

1. Bumpers shall be 10” wide x 12” high x 4” thick laminated rubber design.

## PART 3 – EXECUTION

### INSTALLATION

#### **LEVELERS**

Set dock levelers as shown on the drawings. Installer should plumb, level and square levelers prior to securing leveler to steel edge angles. Install per manufactures recommendations. Demonstrate leveler operation to Owner’s representative and instruct Owner’s maintenance personnel regarding equipment maintenance.

#### **BUMPERS**

Securely fasten dock bumpers to foundation wall as detailed on the drawings.